## Message

From: MORASH, MELANIE [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C67B1B2EBFDF4795AA598EDA825F0589-MMORASH]

**Sent**: 3/13/2019 5:51:30 PM

To: Holbrook, Holly [Holly.Holbrook@aecom.com]

CC: Mora, Rebecca [Rebecca.Mora@aecom.com]; Der Boghosian, Shantal [US] (ES) (Shantal.DerBoghosian@ngc.com)

[Shantal.DerBoghosian@ngc.com]

Subject: RE: Former TRW Microwave Site Well Installation Report Addendum

Received, thank you.

From: Holbrook, Holly <Holly.Holbrook@aecom.com>

**Sent:** Tuesday, March 12, 2019 6:52 PM

To: MORASH, MELANIE <morash.melanie@epa.gov>

Cc: Mora, Rebecca <Rebecca.Mora@aecom.com>; Der Boghosian, Shantal [US] (ES) (Shantal.DerBoghosian@ngc.com)

<Shantal.DerBoghosian@ngc.com>

Subject: Former TRW Microwave Site Well Installation Report Addendum

Melanie,

Attached is the Well Installation Report Addendum for the Former TRW Microwave Site, 825 Stewart Drive, Sunnyvale, California. Please let us know if you have any issues receiving the file and we can resend using AECOM Sendfiles.

Thank you,

## Holly Holbrook

Project Engineer, Environment D +1-714-689-7215 M +1-562-577-6058 Holly.Holbrook@aecom.com

## **AECOM**

999 W. Town and Country Road Orange, CA 92868-4713, USA T +1-714-567-2400 aecom.com

## Built to deliver a better world

Linkedin Twitter Facebook Instagram



This electronic communication, which includes any files or attachments thereto, contains proprietary or confidential information and may be privileged and otherwise protected under copyright or other applicable intellectual property laws. All information contained in this electronic communication is solely for the use of the individual(s) or entity to which it was addressed. If you are not the intended recipient(s), you are hereby notified that distributing, copying, or in any way disclosing any of the information in this e-mail is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately, and destroy the communication and any files or attachments in their entirety, whether in electronic or hard copy format. Since data stored on electronic media can deteriorate, be translated or modified, AECOM, its subsidiaries, and/or affiliates will not be liable for the completeness, correctness or readability of the electronic data. The electronic data should be verified against the hard copy.

Please consider the environment before printing this e-mail.